

F20

Smart Payment Terminal



Android 14 (optional: Android 10)



4G + 3G + 2GWi-Fi 5: 2.4&5GHz Bluetooth 5.0



5.5" HD LCM 8MP + 2MP Cameras



MSR + IC + NFC + QR

































































SPECIFICATIONS

Operating System	Android 14 (optional: Android 10)		
Processor	Quad-Core 4*A53@2.0GHz(optional: 4*A53@1.3GHz)		
Memory	RAM: 2GB+ROM: 16GB		
Communications	4G (LTE-FDD/LTE-TDD) + 3G (WCDN Wi-Fi 5: 2.4&5GHz, Bluetooth 5.0/Bl	MA) + 2G (GSM), LE (optional: Wi-Fi 4: 2.4&5GHz, Bluetootl	n 4.2/BLE)
Location	GPS, BeiDou, Galileo, GLONASS, QZ	ZSS, SBAS (optional: GPS, BeiDou, Galileo	/GLONASS)
Display	5.5 inch, HD IPS LCD, 1280*720Pixe	5.5 inch, HD IPS LCD, 1280*720Pixel, Multi-touch	
Cameras	Rear: 8MP AF with Flash Support Scanner 1D&2D code & QR Code Front: 2MP FF		
Printer	High-speed thermal printer, Paper size: 58mm*40mm		
Battery	7.6V/2500mAh (Equal to 3.8V/5000mAh)		
Magnetic Card Reader	ISO/IEC 7811, ISO/IEC 7813, Track 1/2/3, Bi-directional swiping		
IC Card Reader	ISO/IEC 7816, Conform to EMV L1/L2		
NFC	13.56MHz, ISO/IEC 14443, ISO18092, Type A&B, Felica, Mifare card		
Card Slot	SIM*2 + PSAM*1		
Peripheral Ports	Type C*1 (USB2.0, OTG), Pogopin (8pin)*1		
Adapter	Input: 100-240V AC, 50/60Hz 0.35A	Output: 5V DC/2.0A	
Physical	212.6mm (L)*79.1mm (W)*51.9mm (H)		
Weight	427g		
Environment	Operating Temperature: -10°C ~ 50°C (14°F~122°F) Storage Temperature: -20°C ~ 70°C (-4°F~158°F) Relative Humidity: 5%-96% (Non-Condensing)		
Accessories	Adapter*1, USB Cable(only charging)*1, Manual*1		
Certifications	PCI, EMV L1&L2, EMV Contactless L1, Paypass, PayWave, Amex, Discover, JCB, Pure, qUICS, Rupay, NSICC, TQM, CPACE, AuspayNET, EFT POS, INTERAC, NAPAS, RoHS, CE, FCC, PTCRB, EAC, BIS, ATEX, WEEE, CB, WPC, BIS, DGM, UN38.3, MSDS, NTRA-VOC, GSMA, Telec&JATE, ANRT, CMC, Google Smart Tap, RNIB		
	Camera Front Camera: None Rear Camera: 5MP/FF/AF, 2MP/FF	Fiscal USB OR UART POGO PIN Connector (Type C only charging)	Charging Cradle 5V/2A Type C USB to RJ 45 Adapter
	Sensor G-sensor	USB Cable Type C (data/damping)	100 Mbps Ethernet LAN Screen Protector
Optional Items	TF-Card MicroSD (TF Max support 256GB) *1	Multi-function Battery Cover Type C*1, RJ45*1	Hydrogel film Silicone Cover
	Card Slot SIM*1 + PSAM*2	Multi-function Dock Lite Type C*1, RJ45*1, RJ11*1, Type A*2	Customized colors POS Bracket
	Fingerprint Riometric fingerprint module	Multi-function Dock	Desktop bracket

Customized, 6V/1A

Cash Box

Type C*1, RJ45*1, RJ11*1, Type A*2, Scanner*1

Biometric fingerprint module (or PCBA that supports fingerprint function)

7.6V/2750mAh (Equal to 3.8V/5500mAh)

Battery Options

F20 Options and Accessories





F20 FP Fingerprint

Fingerprint	Semiconductor capacitive biometric fingerprint module
Physical	212.6mm (L)*79.1mm (W)*55.5mm (H)
Weight	430g

F20 Fiscal

Fiscal	USB OR UART POGO PIN Connector (Type C only charging)
Physical	212.6mm (L)*79.1mm (W)*51.9mm (H)
Weight	440g





Multi Dock Lite

Ports	Type C*1, RJ45*1, RJ11*1, Type A*2
Pogo Pin	8 pin
Certification	CE, RoHS



Charging Cradle

Input	USB Type C 5V/2A
Pogo Pin	2 pin
Certification	CE, RoHS



Multi-function Battery Cover

Ports	Type C*1, RJ45*1
Pogo Pin	8 pin
Certification	CE, RoHS





Screen Protector
Hydrogel film



Silicone Cover
Customized colors



Type C to RJ 45 Adapter 100 Mbps Ethernet LAN