

F210

Smart Payment Terminal



Android 12




4G + 3G + 2G
Wi-Fi 5: 2.4
BT4.2



5.0" HD LCM
8MP + 2MP Cameras



MSR + IC + NFC + QR



Retail



Supermarket



Restaurant



Hotel



Parking lot



Gas station

F210

SPECIFICATIONS

Operating System	Android 12
Processor	Quad-Core 4*A53@1.4GHz
Memory	1GB RAM + 8GB ROM
Communications	4G + 3G + 2G, Wi-Fi 5: 2.4GHz, Bluetooth 4.2/BLE
Location	GPS, BDS, GLONASS/Galileo
Display	5.0 inch, IPS LCD, 480*854 Pixel, Multi-touch
Camera	Rear: 2MP FF with Flash LED Support 1D/2D barcode
Printer	Thermal printer, Paper size: 58mm*40mm
Battery	3.7V/5200mAh
Magnetic Card Reader	ISO/IEC 7811, ISO/IEC 7813, Track 1/2/3, Bi-directional swiping
IC Card Reader	ISO/IEC 7816, Conform to EMV L1/L2
NFC	13.56MHz, ISO/IEC 14443, ISO/IEC 18092, Type A&B, Felica, Mifare card
Card Type	SIM*2 + PSAM*1 + TF Card*1 (up to 256GB)
Peripheral Ports	Type C*1 (USB2.0, OTG)
Adapter	Input: 100-240V AC, 50/60Hz 0.35A Output: 5.0V DC/2.0A
Physical	197mm (L)*82.1mm (W)*52.5mm (H)
Weight	410g
Environment	Operating Temperature: -10°C ~ 50°C (14°F~122°F) Storage Temperature: -20°C ~ 70°C (-4°F~158°F) Relative Humidity: 5%-96% (Non-Condensing)
Accessories	Adapter*1, USB Cable(only charging)*1, Manual*1
Certifications	PCI, EMV L1&L2, EMV Contactless L1, Amex, PayWave, Paypass, Discover, JCB, Pure, qUICS, MIR, Rupay, NTRA-VOC, WEEE, CE, FCC, CB, CMC, GSMA, TQM, ANRT, CCC, SRRC, Nal Certificate, UPTS3.0, PBOC3.0 L1&CL1, PBOC3.0 CL2, DGM, UN38.3, MSDS, WPC

Optional Items

Memory
2GB RAM + 16GB ROM

Camera
Front: 2MP FF
Rear: 8MP AF

WIFI
2.4G/5G, 802.11 a/b/g/n/ac

Fingerprint
Biometric fingerprint module

USB Cable
Type C (data/damping)

Multi-function Dock Lite
Type C*1, RJ45*1, RJ11*1, Type A*2

Card Type
eSIM*1 + SIM*1 + PSAM*1 + TF Card*1

Fiscal
USB OR UART POGO PIN Connector
(Type C only charging)

Type C USB to RJ 45Adapter
100 Mbps Ethernet LAN

Screen Protector
Hydrogel film

Silicone Cover
Customized colors

POS Bracket
Desktop bracket

F210 Options and Accessories




F210 FP Fingerprint

Fingerprint	Semiconductor capacitive biometric fingerprint module(WiFi must 2.4G/5G)
Physical	197mm (L)*82.1mm (W)*55.6mm (H)
Weight	430g

F210 Fiscal

Fiscal	USB OR UART POGO PIN Connector (Type C only charging)
Physical	212.6mm (L)*79.1mm (W)*51.9mm (H)
Weight	440g



Multi-function Dock Lite

Ports	Type C*1, RJ11*1, RJ45*1, USB Type A*2
Pogo Pin	6 pin
Certification	CE, RoHS



Bracket
Rotatable



Screen Protector
Hydrogel film



Silicone Cover
Customized colors



Type C to RJ 45 Adapter
100 Mbps Ethernet LAN